

FRACTIONAL (英制)

NPT螺纹

TRACTIONAL	( (41)						INI TURES
TUBE O.D.	NPT	CATALOG NUMBER	INTERCHANGE	SIZE 尺寸,in.			
卡套管外径, in.	尺寸 , in.	基本型号	WITH	А	D	E®	F
1/16	1/16	6-ME-01-01	-100-2-1	0.75	0.34	0.05	7/16
1/16	1/8	6-ME-01-02	-100-2-2	0.75	0.34	0.05	7/16
1/8	1/16	6-ME-02-01	-200-2-1	0.93	0.50	0.09	7/16
1/8	1/8	6-ME-02-02	-200-2-2	0.93	0.50	0.09	7/16
1/8	1/4	6-ME-02-04	-200-2-4	0.97	0.50	0.09	1/2
3/16	1/8	6-ME-03-02	-300-2-2	1.00	0.54	0.12	1/2
3/16	1/4	6-ME-03-04	-300-2-4	1.00	0.54	0.12	1/2
1/4	1/16	6-ME-04-01	-400-2-1	1.06	0.60	0.12	1/2
1/4	1/8	6-ME-04-02	-400-2-2	1.06	0.60	0.19	1/2
1/4	1/4	6-ME-04-04	-400-2-4	1.06	0.60	0.19	1/2
1/4	3/8	6-ME-04-06	-400-2-6	1.17	0.60	0.19	11/16
1/4	1/2	6-ME-04-08	-400-2-8	1.25	0.60	0.19	13/16
5/16	1/8	6-ME-05-02	-500-2-2	1.13	0.64	0.19	9/16
5/16	1/4	6-ME-05-04	-500-2-4	1.13	0.64	0.25	9/16
5/16	3/8	6-ME-05-06	-500-2-6	1.20	0.64	0.25	11/16
3/8	1/8	6-ME-06-02	-600-2-2	1.20	0.66	0.19	5/8
3/8	1/4	6-ME-06-04	-600-2-4	1.20	0.66	0.28	5/8
3/8	3/8	6-ME-06-06	-600-2-6	1.23	0.66	0.28	11/16
3/8	1/2	6-ME-06-08	-600-2-8	1.31	0.66	0.28	13/16
3/8	3/4	6-ME-06-012	-600-2-12	1.46	0.66	0.28	1 1/6
1/2	1/4	6-ME-08-04	-810-2-4	1.42	0.90	0.28	13/16
1/2	3/8	6-ME-08-06	-810-2-6	1.42	0.90	0.38	13/16
1/2	1/2	6-ME-08-08	-810-2-8	1.42	0.90	0.41	13/16
1/2	3/4	6-ME-08-012	-810-2-12	1.57	0.90	0.41	1 1/16
5/8	3/8	6-ME-010-06	-1010-2-6	1.50	0.96	0.38	15/16
5/8	1/2	6-ME-010-08	-1010-2-8	1.50	0.96	0.47	15/16
5/8	3/4	6-ME-010-012	-1010-2-12	1.57	0.96	0.50	1 1/16
3/4	1/2	6-ME-012-08	-1210-2-8	1.57	0.96	0.47	1 1/16
3/4	3/4	6-ME-012-012	-1210-2-12	1.57	0.96	0.62	1 1/16
7/8	3/4	6-ME-014-012	-1410-2-12	1.76	1.02	0.62	13/8
1	3/4	6-ME-016-012	-1610-2-12	1.93	1.23	0.62	13/8
1	1	6-ME-016-016	-1610-2-16	1.93	1.23	0.88	1 3/8

①尺寸E是最小公称孔口。这些接头在管接头在管螺纹/直螺纹端可能会有更大的孔口。

 $<sup>\</sup>textcircled{$\mathbb{D}$ imension Eisthesmallest nominal orifice. These connections may have larger orifices at the threaded/straightends of the pipe connections.}$ 






## 外螺纹弯头

Male thread elbows





METRIC (公制) NPT螺纹

TUBE O.D.	NPT	CATALOG NUMBER	INTERCHANGE	SIZE 尺寸,mm			
卡套管外径, mm	尺寸, in.	基本型号	WITH	Α	D	$E^{^{ ext{ ilde{I}}}}$	F,in
3	1/8	6-ME-3-02	-3M0-2-2	23.6	12.9	2.4	7/16
3	1/4	6-ME-3-04	-3M0-2-4	24.6	12.9	2.4	1/2
4	1/8	6-ME-4-02	-4M0-2-2	25.4	13.7	2.4	1/2
4	1/4	6-ME-4-04	-4M0-2-4	25.4	13.7	2.4	1/2
6	1/8	6-ME-6-02	-6M0-2-2	27.0	15.3	4.8	1/2
6	1/4	6-ME-6-04	-6M0-2-4	27.0	15.3	4.8	1/2
6	3/8	6-ME-6-06	-6M0-2-6	29.8	15.3	4.8	11/16
6	1/2	6-ME-6-08	-6M0-2-8	31.8	15.3	4.8	13/16
8	1/8	6-ME-8-02	-8M0-2-2	28.8	16.2	4.8	9/16
8	1/4	6-ME-8-04	-8M0-2-4	28.8	16.2	6.4	9/16
8	3/8	6-ME-8-06	-8M0-2-6	30.6	16.2	6.4	11/16
8	1/2	6-ME-8-08	-8M0-2-8	32.6	16.2	6.4	13/16
10	1/8	6-ME-10-02	-10M0-2-2	31.5	17.2	4.8	11/16
10	1/4	6-ME-10-04	-10M0-2-4	31.5	17.2	7.1	11/16
10	3/8	6-ME-10-06	-10M0-2-6	31.5	17.2	7.9	11/16
10	1/2	6-ME-10-08	-10M0-2-8	33.5	17.2	7.9	13/16
12	1/4	6-ME-12-04	-12M0-2-4	36.0	22.8	7.1	13/16
12	3/8	6-ME-12-06	-12M0-2-6	36.0	22.8	9.5	13/16
12	1/2	6-ME-12-08	-12M0-2-8	36.0	22.8	9.5	13/16
12	3/4	6-ME-12-012	-12M0-2-12	39.8	22.8	9.5	1 1/16
15	1/2	6-ME-15-08	-15M0-2-8	38.0	24.4	11.9	15/16
16	3/8	6-ME-16-06	-16M0-2-6	38.0	24.4	9.5	15/16
16	1/2	6-ME-16-08	-16M0-2-8	38.0	24.4	11.9	15/16
16	3/4	6-ME-16-012	-16M0-2-12	39.8	24.4	12.7	1 1/16
18	1/2	6-ME-18-08	-18M0-2-8	39.8	24.4	11.9	1 1/16
18	3/4	6-ME-18-012	-18M0-2-12	39.8	24.4	15.1	1 1/16
20	1/2	6-ME-20-08	-20M0-2-8	44.6	26.0	11.9	1 3/8
20	3/4	6-ME-20-012	-20M0-2-12	44.6	26.0	15.9	1 3/8
22	3/4	6-ME-22-012	-22M0-2-12	44.6	26.0	15.9	1 3/8
22	1	6-ME-22-016	-22M0-2-16	44.6	26.0	18.3	1 3/8
25	3/4	6-ME-25-012	-25M0-2-12	49.1	31.3	15.9	1 3/8
25	1	6-ME-25-016	-25M0-2-16	49.1	31.3	21.8	1 3/8


①尺寸E是最小公称孔口。这些接头在管接头在管螺纹/直螺纹端可能会有更大的孔口。

 $<sup>\</sup>textcircled{$\mathbb{T}$ DimensionEisthesmallest nominal orifice. These connections may have larger orifices at the threaded/straightends of the pipe connections.}$ 









METRIC (公制)					ISC	 D/BSP锥形	/螺纹(RT)
TUBE O.D.		CATALOG NUMBER		SIZE 尺寸,mm			
卡套管外径, mm	尺寸, in.	基本型号	WITH	А	D	E®	F, in.
3	1/8	6-MERT-3-02	-3M0-2-2RT	23.6	12.9	2.4	7/16
3	1/4	6-MERT-3-04	-3M0-2-4RT	24.6	12.9	2.4	1/2
4	1/8	6-MERT-4-02	-4M0-2-2RT	25.4	13.7	2.4	1/2
4	1/4	6-MERT-4-04	-4M0-2-4RT	25.4	13.7	2.4	1/2
6	1/8	6-MERT-6-02	-6M0-2-2RT	27.0	15.3	4.8	1/2
6	1/4	6-MERT-6-04	-6M0-2-4RT	27.0	15.3	4.8	1/2
6	3/8	6-MERT-6-06	-6M0-2-6RT	29.8	15.3	4.8	11/16
6	1/2	6-MERT-6-08	-6M0-2-8RT	31.8	15.3	4.8	13/16
8	1/8	6-MERT-8-02	-8M0-2-2RT	28.8	16.2	4.8	9/16
8	1/4	6-MERT-8-04	-8M0-2-4RT	28.8	16.2	6.4	9/16
8	3/8	6-MERT-8-06	-8M0-2-6RT	30.6	16.2	6.4	11/16
8	1/2	6-MERT-8-08	-8M0-2-8RT	32.6	16.2	6.4	13/16
10	1/4	6-MERT-10-04	-10M0-2-4RT	31.5	17.2	7.1	11/16
10	3/8	6-MERT-10-06	-10M0-2-6RT	31.5	17.2	7.9	11/16
10	1/2	6-MERT-10-08	-10M0-2-8RT	33.5	17.2	7.9	13/16
12	1/8	6-MERT-12-02	-12M0-2-2RT	36.0	22.8	4.8	13/16
12	1/4	6-MERT-12-04	-12M0-2-4RT	36.0	22.8	7.1	13/16
12	3/8	6-MERT-12-06	-12M0-2-6RT	36.0	22.8	9.5	13/16
12	1/2	6-MERT-12-08	-12M0-2-8RT	36.0	22.8	9.5	13/16
12	3/4	6-MERT-12-012	-12M0-2-12RT	39.8	22.8	9.5	1 1/16
14	1/2	6-MERT-14-08	-14M0-2-8RT	38.1	24.4	11.1	15/16
15	1/2	6-MERT-15-08	-15M0-2-8RT	38.1	24.4	11.9	15/16
16	3/8	6-MERT-16-06	-16M0-2-6RT	38.0	24.4	9.5	15/16
16	1/2	6-MERT-16-08	-16M0-2-8RT	38.0	24.4	11.9	15/16
18	1/2	6-MERT-18-08	-18M0-2-8RT	39.8	24.4	11.9	1 1/16
18	3/4	6-MERT-18-012	-18M0-2-12RT	39.8	24.4	15.1	1 1/16
20	1/2	6-MERT-20-08	-20M0-2-8RT	44.6	26.0	11.9	1 3/8
20	3/4	6-MERT-20-012	-20M0-2-12RT	44.6	26.0	15.9	1 3/8
22	3/4	6-MERT-22-012	-22M0-2-12RT	44.6	26.0	15.9	1 3/8
22	1	6-MERT-22-016	-22M0-2-16RT	44.6	26.0	18.3	1 3/8
25	3/4	6-MERT-25-012	-25M0-2-12RT	49.1	31.3	15.9	1 3/8
25	1	6-MERT-25-016	-25M0-2-16RT	49.1	31.3	21.8	1 3/8

① 尺寸E是最小公称孔口。这些接头在管螺纹/直螺纹端可能会有更大的孔口。

 $<sup>\</sup>textcircled{1} The \textit{Edimension} is the \textit{minimum} no \textit{minal opening}. The \textit{sefittings} may have a larger opening at the \textit{pipe/straightthreadend}.$